

Nouveau Elite Colour



0345 222 1544
www.dctuk.com

Table of content



03

Product features

04

The colours

06

Resistant

06

**Affordable and with
extraordinary features**

08

Combinations

09

Fitting

10

Specifications

Product features

✓ 50cm x 50cm carpet tiles

✓ Subtle beauty and low-key elegance

✓ Perfect for heavy contract commercial use

✓ Suitable for use with castor chairs


✓ 27 colourways

✓ Delivered in 5-7 working days


✓ Loop pile carpet tile

The colours

Colour is a powerful design element. That's why Nouveau Elite Colour has 27 colours to choose from for when you're serious about flooring; it offers classy neutrals, calming nature-inspired palettes or some funky shades that will create your own unique looring designs.



Nude



Tent



Norse Brown



Mustard



Thisk



Smoked Orange



Palatial Red




Red Moss



Deep Space



Welsh Slate




Disturbed Navy



Dusk




Tropicana



Biophilic Green



Rainforest



Lodge




Monolith



Castle Walls



Nature



Pitch Black




Tephrite



White Grey



Dark Static




Flint



Black Desert



Nightscape



Andesite

Resistant



Besides the perfect combination of fashionable loop pile design and numerous variety of colours, these carpet tiles are very durable! Nouveau Elite Colour is perfect for heavy contract commercial use, so it will look amazing for the years to come, even if you have loads of people coming in and out every day.

Resistant and stylish. The perfect match for your floor!

Affordable and with extraordinary features



Purchasing Nouveau Elite Colour carpet tiles, you will also get some extraordinary features: resistant to rubbing, good light fastness and high colour fastness that are typical for this collection from Class 33 category. Enjoy super low prices, and a high quality product, with these Nouveau carpet tiles.

Affordable and resistant carpet tiles. Do want any better than this?!

Combinations


More Nouveau Elite Colour

We are in love by Nouveau Elite Colour colour palette so we recommend you to combine some of its colours. This vibrant collection features 27 different colours- a perfect match if there's any branding or logo to be matched up!

You can also pop down one colour to show the meeting tables and pop another one down for walkways / other areas. This way you can avoid those super awkward moments of walking into a meeting thinking it's just a free table.

No ideas for the design of your floor?

Know more about our free design service [here](#).



Fitting for the home

What we do


- ✓ Straight lay (all products)
- ✓ Uplift/dispose of existing flooring
- ✓ Recycling of existing flooring
- ✓ Subfloor preparation
- ✓ Evenings & Weekends
- ✓ Cap & cove for vinyl



Fitting for the workplace

What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



Specifications

1/10" loop pile / 1/10" poil bouclé / 1/10" Schlingenpol / 1/10" lussenpool

PILE CONTENT
COMPOSITION DU VELOURS
POLMATERIAL
POOLSAMENSTELLING

100% PA6 Solution Dyed Nylon

PILE WEIGHT
POIDS DU VELOURS
POLGEWICHT
POOLGEWICHT

Ca. 540g/m²

TOTAL WEIGHT
POIDS TOTAL
GESAMTGEWICHT
TOTAAL GEWICHT

Ca. 4.300 g/m²

PILE HEIGHT
HAUTEUR DU VELOURS
FLORHÖHE
POOLHOOGTE

Ca. 2,9 mm

TOTAL HEIGHT
HAUTEUR TOTALE
GESAMTHÖHE
TOTALE HOOGTE

Ca. 6,2 mm

PILE DENSITY
DENSITÉ DU VELOURS
POLROHDICHTHEIT
POOLDICHTHEID

Ca. 0,117 g/cm³

CLASSIFICATION
CLASSEMENT
KLASSIFIKATION
CLASSIFICATIE

EN 1307 33- LC1

CASTOR CHAIR SUITABILITY EMPLOI CHAISE À ROULETTES STUHLROLLENEIGNUNG ROLSTOELGESCHIKTHEID	A : continuous use
FIRE RESISTANCE COMPORTEMENT AU FEU BRENNVERHALTEN BRANDGEDRAG	BS-S1
FASTNESS TO LIGHT SOLIDITÉ À LA LUMIÈRE LICHTECHTHEIT LICHTECHTHEID	≥ 7
COLOUR FASTNESS TO WATER SOLIDITÉ À L'EAU WASSERECHTHEIT WATERECHTHEID	≥ 4
RUBBING FASTNESS SOLIDITÉ AU FROTTEMENT REIBECHTHEIT WRIJFECHTHEID	≥ 4
THERMAL RESISTANCE RÉSISTANCE THERMIQUE WÄRMEDURCHLABWIDERSTAND WARMTEDOORLAATWEERSTAND	AW 0.15
SOUND ABSORPTION ABSORPTION PHONIQUE SCHALLABSORPTIONSGRAD GELUIDSABSORPTIE	$< 2 \text{ kV}$
PERMANENT ANTISTATIC ANTISTATIQUE PERMANENT PERMANENT ANTISTATISCH PERMANENT ANTISTATISCH	$\leq 2 \text{KV}$
SIZE DIMENSIONS ABMESSUNG AFMETINGEN	50cm X 50cm



Social Media

 facebook.com/dctuk

 instagram.com/dctukdesign

 youtube.com/dctuk

 twitter.com/dctuk

*24
creative
ideas!*

0345 222 1544
www.dctuk.com