

Nouveau Futureproof



0345 222 1544
www.dctuk.com

Table of content



03

Product features

04

The colours

06

Combinations

07

**Resistant and
environmentally friendly**

08

Fitting Projects

10

Specifications

Product features

✓ 50cm x 50cm carpet tiles

✓ Made with 100% Econyl Yarn

✓ A-rated environmental credentials


✓ Won't wear or damage easily

✓ Fire resistant qualities

✓ 36 colours



The colours



Beige



Black



Blue Lagoon



Brown




Chocolate Brown



Coal




Dark Chocolate



Dark Green



Dark Grey



Dark Purple




Emerald



Green Grass




Green Leaf



Grey



Light Brown



Light Green



Moss Green



Mossy Stone



Oak Tree



Off Yellow



Palm Tree Green



Pebble Grey



Purple Rain



Red Berry



Ruby Red



Sea Blue




Slate Grey




Soft Green



Soft Grey



Soft Yellow




Stone Grey




Sunrise Orange



Teal



Tree Bark



Washed Green




Washed out black

Combinations

More Nouveau Futureproof

Our amazing Nouveau Futureproof is available in 36 fabulous colours, so if you plan to give your business' floor an upgrade, you can definitely find your logo's matching colours. These carpet tiles are just right both if you want to keep it simple or if you want to be creative and give your room an arty look.

For that, our recommendation for combinations is simply to use two or more of its colours. However, if you want to mix it with carpet tiles with a nice design, you can go for Nouveau Shadow, Nouveau Vogue Fractal, or Nouveau Vogue Air. The limit is your imagination. We have a free flooring design service available for commercial offices, so if you want some ideas just give our amazing sales team a ring.



Want to learn more about it?



Watch a youtube video

Resistant and environmentally friendly



It's all over the news, we need to take action now to futureproof our planet. Here at DCTUK we know how important it is to be more green and look after the planet. That is why we bring you Nouveau Futureproof, a carpet tile made from 100% Econyl Yarn & 100% Regenerated solution dyed nylon. his carpet tile just keeps on giving, with a 10 year guarantee, a wear class of 33 and a class A castor chair rating.


Resistant and environmentally friendly. Do want any better than this?!

Fitting projects

Whether you need to renovate your home or office, or if you are in charge of renovating a schoolroom or airport, DCTUK is here for you! Our fitting teams will take care of everything so your home or workspace will be ready to show off to lots of envious eyes before you know it.

We want to make our customers' life easier; your satisfaction matters most - we're always available at any time by phone call or email. You can see below some projects completed using our very own Nouveau Connections Stripe. Take a look. You won't be disappointed.

McDonald's Training Centre, Salford



[Learn more about this project](#)



Visit our page

Fitting for the home

What we do


- ✓ Straight lay (all products)
- ✓ Uplift/dispose of existing flooring
- ✓ Recycling of existing flooring
- ✓ Subfloor preparation
- ✓ Evenings & Weekends
- ✓ Cap & cove for vinyl



Fitting for the workplace

What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



Specifications

1/10" loop pile / 1/10" poil bouclé / 1/10" Schlingenpol / 1/10" lussenpool

PILE MATERIAL COMPOSITION DU VELOURS POLMATERIAL POOLMATERIAAL	100% ECONYL® yarn
SECONDARY BACKING DOSSIER RÜCKEN TAPIJTRUG	Back2Back: Modified bitumen
TOTAL WEIGHT POIDS TOTAL GESAMTGEWICHT TOTAAL GEWICHT	Ca. 4400g/m ²
PILE WEIGHT POIDS DU VELOURS POLGEWICHT POOLGEWICHT	Ca. 600g/m ²
PILE ABOVE BACKING POIDS DE VELOURS UTILE POLNUTZSCHICHTGEWICHT NUTTIG POOLEGEWICHT	Ca. 395g/m ²
TOTAL HEIGHT HAUTEUR TOTALE GESAMTHÖHE TOTAAL HOOGTE	Ca. 6.3mm
PILE HEIGHT HAUTEUR DU VELOURS FLORHÖHE POOLHOOGTE	Ca. 3,2mm

PILE DENSITY
DENSITÉ DU VELOURS
POLROHDICHTHE
POOLDICHTHEID

Ca, 0,123g/cm³

TUFT DENSITY
NOMBRE DE TOUFFES
NOPPENZAHL
AANTAL NOPPEN

Ca. 160.000/m²

CLASSIFICATION
CLASSEMENT
KLASSIFIKATION
CLASSIFICATIE

EN 1307

CASTOR CHAIR SUITABILITY
CHAISE À ROULETTES
STUHLROLLENEIGNUNG
ROLSTOELGESCHIKTHEID

EN 985

FIRE RESISTANCE
COMPORTEMENT AU FEU
BRENNVERHALTEN
BRANDGEDRAG

EN 13501 – 1

FASTNESS TO LIGHT
SOLIDITÉ À LA LUMIÈRE
LICHTECHTHEIT
LICHTECHTHEID

ISO 105-B02

RUBBING FASTNESS
SOLIDITE A LA LUMIERE
LICHTECHTHEIT
LICHTECHTHEID

EN ISO 105-X12

COLOUR FASTNESS TO WATER
SOLIDITÉ À L'EAU
WASSERECHTHEIT
WATERECHTHEID

EN ISO 105-E01

THERMAL RESISTANCE
RÉSISTANCE THERMIQUE
WÄRMEDURCHLASSWIDERSTAND
WARMTEDOORLAATWEERSTAND

ISO 8302

IMPACT NOISE RATING
ISOLATION PHONIQUE
TRITTSCHALLVERBESSERUNG
GELUIDSISOLATIE

ISO 10140

SOUND ABSORPTION
ABSORPTION PHONIQUE
SCHALLABSORPTIONSGRAD
GELUIDSABSORPTIE

ISO 354

PERMANENTLY ANTISTATIC
ANTISTATIC PERMANENT
PERMANENT ANTISTATISCH
PERMANENT ANTISTATISCH

ISO 6356

SIZE
DIMENSIONS
ABMESSUNG
AFMETINGEN

50cm x 50cm

TRANSVERSAL RESISTANCE

ISO/DIS 10965

LEED®

Product contributes toward
satisfying Credits under LEED®.*





Social Media

 facebook.com/dctuk

 instagram.com/dctukdesign

 youtube.com/dctuk

 twitter.com/dctuk

0345 222 1544
www.dctuk.com