

# Nouveau Revive



0345 222 1544  
[www.dctuk.com](http://www.dctuk.com)

## Table of content



**03**

**Product features**

**04**

**The colours**

**05**

**Resistant and design**

**06**

**Fitting**

**07**

**Specifications**

# Product features

✓ 50cm x 50cm carpet tiles

✓ Great for home or workplace

✓ Quirky flecked pattern design

✓ Perfect for large commercial spaces

✓ Suitable for use with castor chairs

✓ Manufactured in the UK


✓ Excellent anti-static qualities

✓ Delivered 1-2 working days



# The colours

Not all revivals are recommended. Take S Club 7 for example. However there are some things that always benefit from a regular revamp and interior design is one of them, Nouveau Revive is sure to take your breath away.




**Blue Sapphire**



**Ocean**



**Grey**



**Sandstone**

## Resistant and design



This collection of stylish low-level loop pile tiles are the perfect way to breathe life back into a worn out interior - no matter whether its the home or the workplace. A trend-savvy flecked pattern looks great as part of a whole plethora of designs but also cleverly conceals a multitude of stain-based sins, while a plusher-than-average pile makes for an inviting ambience.

Polypropylene fibres and a tough bitumen backing join forces against heavy traffic as well as general wear and tear.

**Affordable and resistant.  
Just what you need!**



# Fitting for the home

## What we do

- ✓ Straight lay (all products)
- ✓ Uplift/dispose of existing flooring
- ✓ Recycling of existing flooring
- ✓ Subfloor preparation
- ✓ Evenings & Weekends
- ✓ Cap & cove for vinyl



# Fitting for the workplace

## What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



# Specifications

PILE MATERIAL  
COMPOSITION DU VELOURS  
POLMATERIAL  
POOLMATERIAAL

100% Polypropylene

PILE WEIGHT  
POIDS DU VELOURS  
POLGEWICHT  
POOLGEWICHT

550gm/m<sup>2</sup>

FIRE RESISTANCE  
COMPOTEMENT AU FEU  
BRENNVERHALTEN  
BRANDGEDRAG

BS 4790 Hot Nut Test Low  
radius of Char, less than 35mm

PERMANENTLY ANTISTATIC  
ANTISTATIC PERMANENT  
PERMANENT ANTISTATISCH  
PERMANENT ANTISTATISCH

Below 2000 volts, i.e. below  
the level of human sensitivity

CASTOR CHAIR SUITABILITY  
CHAISE À ROULETTES  
STUHLROLLENEIGNUNG  
ROLSTOELGESCHIKTHEID

Overall r value 2.4

FASTNESS TO LIGHT  
SOLIDITÉ À LA LUMIÈRE  
LICHTECHTHEIT  
LICHTECHTHEID

BS 1006 1990 BO2 Better  
than 6 (Scale bad=1 to good=8)

RUBBING FASTNESS  
SOLIDITE A LA LUMIERE  
LICHTECHTHEIT  
LICHTECHTHEID

BS 1006 x 12 1990 ; Wet 5 : Dry 4-5  
(5 represents to change)

THERMAL RESISTANCE  
RÉSISTANCE THERMIQUE  
WÄRMEDURCHLASSWIDERSTAND  
WARMTEDOORLAATWEERSTAND

ISO 8302 – 0,067m<sup>2</sup>K/W



**Social Media**

 [facebook.com/dctuk](https://facebook.com/dctuk)

 [instagram.com/dctukdesign](https://instagram.com/dctukdesign)

 [youtube.com/dctuk](https://youtube.com/dctuk)

 [twitter.com/dctuk](https://twitter.com/dctuk)

**0345 222 1544**  
**[www.dctuk.com](http://www.dctuk.com)**