

Nouveau Walkway

The logo for dctuk, featuring a stylized icon of four parallel lines above the lowercase text "dctuk".

dctuk



0345 222 1544
www.dctuk.com

Table of content



03

Product features

04

The colours

05

Good for you

06

Resistant

07

Fitting

08

Specifications

Product features

✓ 50cm x 50cm carpet tiles

✓ Fire resistant qualities

✓ Perfect for corridors and entrances

✓ Buy any quantity no minimum order

✓ Hard durable needle-punch design

✓ Simple to fit yourself

✓ Made in the EU

✓ Delivered next working day

The colours

Looking for a new flooring solution that is going to withstand the test of time? Step right this way...



Beige



Black



Cloud Blue



Dark Blue



Dark Brown



Light Grey



Red


Good for you



Like great Aunt Vera and her thirty-something toy boy at Christmas, dirt and moisture often turn up uninvited on your doorstep (quite literally) but with Nouveau Walkway, any nasty grub and grime is easy to get rid of. Featuring a durable needle-punch design for longevity, these 50cm x 50cm tiles also boast anti-static and fire-resistant qualities thanks to its 100% Polypropylene composition.

The best option for the air quality of your space!

Resistant



A fibre-bonded and velour construction means these tiles stand strong against wear and tear so are the ideal choice for reception areas, doorways and entrances.

Each individual tile is easily lifted to clean or replace, reducing eco-damaging waste and your stress-levels simultaneously. Walkway's outstanding durability and impressive lifespan is covered by a 5 year guarantee, so you've got peace of mind when installing these tiles in a variety of commercial spaces.

**Affordable and resistant.
Do you want any better?**



[Read our blog](#)

Fitting for the home

What we do


- ✓ Straight lay (all products)
- ✓ Uplift/dispose of existing flooring
- ✓ Recycling of existing flooring
- ✓ Subfloor preparation
- ✓ Evenings & Weekends
- ✓ Cap & cove for vinyl



Fitting for the workplace

What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



Specifications

1/10" loop pile / 1/10" poil bouclé / 1/10" Schlingenpol / 1/10" lussenpool

PILE MATERIAL COMPOSITION DU VELOURS POLMATERIAL POOLMATERIAAL	100% PP
TOTAL WEIGHT POIDS TOTAL GESAMTGEWICHT TOTAAL GEWICHT	Ca. 3.200g/m ²
PILE WEIGHT POIDS DU VELOURS POLGEWICHT POOLGEWICHT	Ca. 640g/m ²
TOTAL HEIGHT HAUTEUR TOTALE GESAMTHÖHE TOTALE HOOGTE	Ca. 4,8mm
PILE HEIGHT HAUTEUR DU VELOURS FLORHÖHE POOLHOOGTE	Ca. 4,5mm
CASTOR CHAIR SUITABILITY CHAISE À ROULETTES STUHLROLLENEIGNUNG ROLSTOELGESCHIKTHEID	Bfl-s1 (EN 13501-1)

<p>FIRE RESISTANCE COMPORTEMENT AU FEU BRENNVERHALTEN BRANDGEDRAG</p>	<p>Bfl -s] (EN 13501 – 1)</p>
<p>FASTNESS TO LIGHT SOLIDITÉ À LA LUMIÈRE LICHTECHTHEIT LICHTECHTHEID</p>	<p>5-6</p>
<p>COLOUR FASTNESS TO WATER SOLIDITÉ À L'EAU WASSERECHTHEIT WATERECHTHEID</p>	<p>3-4</p>
<p>PERMANENTLY ANTISTATIC ANTISTATIC PERMANENT PERMANENT ANTISTATISCH PERMANENT ANTISTATISCH</p>	<p>< 2kV</p>
<p>SIZE DIMENSIONS ABMESSUNG AFMETINGEN</p>	<p>50 x 50cm</p>
<p>PACKAGING EMBALLAGE VERPACKUNG VERPAKKING</p>	<p>Box: 5m² - Pallet: 20 boxes</p>





Social Media

 facebook.com/dctuk

 instagram.com/dctukdesign

 youtube.com/dctuk

 twitter.com/dctuk

0345 222 1544
www.dctuk.com