

Nouveau Connections

dctuk.com



0330 818 7209
www.dctuk.com

Table of content



03

Product features

04

The colours

05

Combinations

06

StainSafe®

07

**Affordable and
environmentally Friendly**

08

Fitting Projects

10

Specifications

Product features

✓ 50cm x 50cm carpet tiles

✓ Made with StainSafe -
easy to clean

✓ Perfect for home and
office

✓ Anti-static properties

✓ Low level loop pile


✓ Made in the EU in a
100% green factory

✓ Delivered next working
day

✓ 12 Available Colours

The colours


Featuring our lowest price carpet tiles, the Nouveau Connections range is the perfect way to transform your workplace or home without breaking the bank. These amazing carpet tiles are available in 12 different colourways and can be ordered in any quantity!




Black



Brown



Crimson



Deep Blue




Graphite



Pebble



Sand



Sea Blue



Sky Blue



Smoke Grey




Soft Grey



Stone Grey

StainSafe®



Stainsafe® does not fail to provide complete protection against stains and dirt. These carpet tiles are not treated with any chemicals or coatings. It absorbs no moisture, therefore no dirt or liquid will be absorbed into the fibres. Stainsafe® is only available for 100% Polypropylene carpet tiles. Therefore it will also be incredibly durable, hardwearing and long lasting.

Want to learn more about it?



[Read our blog](#)

Affordable and environmentally friendly



Nouveau Connections are beautiful and affordable carpet tiles made in a 100% green factory in the European Union. This means it is ethically sourced. Besides, it is also 100% recyclable. If one day you decide you want to change the look of your space again, you can give them the chance to have a whole new different life.

Affordable, ethically sourced and 100% recyclable. Do want any better than this?!

Fitting projects

Whether you need to renovate your home or office, or if you are in charge of renovating a schoolroom or airport, DCTUK is here for you! Our fitting teams will take care of everything so your home or workspace will be ready to show off to lots of envious eyes before you know it.

We want to make our customers' life easier; your satisfaction matters most - we're always available at any time by phone call or email. You can see below some projects completed using our very own Nouveau Connections Stripe. Take a look. You won't be disappointed.

Manchester Airport



Learn more about this project



[Visit our page](#)

[Watch a youtube video](#)






Fitting for the workplace

What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



Specifications

1/10" loop pile / 1/10" poil bouclé / 1/10" Schlingenpol / 1/10" lussenpool

PILE CONTENT
COMPOSITION DU VELOURS
POLMATERIAL
POOLSAMENSTELLING

100% PP Stainsafe®

PILE WEIGHT
POIDS DU VELOURS
POLGEWICHT
POOLGEWICHT

Ca. 360 g/m²

TOTAL WEIGHT
POIDS TOTAL
GESAMTGEWICHT
TOTAAL GEWICHT

Ca. 3.725 g/m²

PILE HEIGHT
HAUTEUR DU VELOURS
FLORHÖHE
POOLHOOGTE

Ca. 2,8 mm

TOTAL HEIGHT
HAUTEUR TOTALE
GESAMTHÖHE
TOTALE HOOGTE

Ca. 5,7 mm

TUFT DENSITY
NOMBRE DE TOUFFES
NOPPENZAHL
AANTAL NOPPEN

Ca. 149.600/m²

05/20 All rights reserved to alter technical specifications - Warranty conditions, see www.stain-safe.com
Sous réserve de modifications techniques - conditions de garantie, voir www.stain-safe.com
Unter Vorbehalt technischer Änderungen - Garantiebedingungen siehe www.stain-safe.com
Onder voorbehoud van wijzigingen van technische specificaties - garantievoorwaarden: www.stain-safe.com

SIZE DIMENSIONS ABMESSUNG AFMETINGEN	50 x 50 cm
PACKAGING EMBALLAGE VERPACKUNG VERPAKKING	5 m ²
ANTISTATIQUE ANTISTATIQUE ANTISTATISCH ANTISTATISCH	< 2 kV
FIRE CLASS CLASSEMENT FEU BRANDVERHALTENSKLASSE BRANDKLASSE	Cfl-s] (EN 13501-1)
FASTNESS TO LIGHT SOLIDITÉ À LA LUMIÈRE LICHTECHTHEIT LICHTECHTHEID	5-6
WATER FASTNESS SOLIDITÉ À L'EAU WASSERECHTHEIT WATERECHTHEID	4-5





dctuk.com

Social Media

 facebook.com/dctuk

 instagram.com/dctukdesign

 youtube.com/dctuk

 twitter.com/dctuk

0330 818 7209
www.dctuk.com