

# Nouveau Endurance

**dctuk.com**

**0330 818 7209**  
**[www.dctuk.com](http://www.dctuk.com)**

## Table of content



**03**

**Product features**

**04**

**The designs**

**05**

**Combinations**

**06**

**StainSafe®**

**07**

**Affordable and resistant**

**08**

**Fitting Projects**

**10**

**Specifications**

# Product features

✓ 50cm x 50cm carpet tiles

✓ Made with StainSafe -  
easy to clean

✓ Perfect for breakout  
areas

✓ Firm 7mm thickness

✓ Fire resistant qualities


✓ Modern linear design

✓ Delivered next working  
day


✓ 2 striking designs

# The designs

There ain't no point in style without substance when it comes to flooring, which is why we bring you the marvellous, the fantastic, Nouveau Endurance. Colours and textures are often even better in person and getting hands on with some samples will give you the interior inspiration you're looking for - and anyway, even if you change your mind, you'll be covered by our handy 365 Returns policy. What's not to love?!



**Rock Steady**



**Heavy Lead**



# Combinations

## More Nouveau Endurance

Block colours are extremely versatile and can be as subtle or as statement as you like but sometimes, you need something a little more exciting. This design-led range cleverly combines tonal shades in a linear formation to deliver a stylish surface pattern that would be right at home in any modern office or top-notch hotel.

Ever had that super awkward moment of walking into a meeting thinking it's just a free table? Well problem solved. Why not use a different design of Nouveau Endurance to zone out different areas? So, pop down one design to show the meeting tables, and pop another down for walkways / other areas.



## Want to learn more about it?



[Read our blog](#)



[Watch a youtube video](#)

# StainSafe®



Stainsafe® does not fail to provide complete protection against stains and dirt. These carpet tiles are not treated with any chemicals or coatings. It absorbs no moisture, therefore no dirt or liquid will be absorbed into the fibres. Stainsafe® is only available for 100% Polypropylene carpet tiles. Therefore it will also be incredibly durable, hardwearing and long lasting.

**Want to learn more about it?**



[Read our blog](#)

## Affordable and resistant



The word 'endurance' is "the capacity of something to last or to withstand wear and tear" and well, we certainly couldn't think of a better name for this sturdy range. These tiles stand strong against the high footfall and heavy furniture which are commonplace in commercial spaces. Besides, it is used a long-lasting solution-dyeing technique to colour the fibres, which means they will stay looking just as striking for many years to come.

**Affordable and resistant.  
Do want any better than  
this?!**




# Fitting projects

Whether you need to renovate your home or office, or if you are in charge of renovating a schoolroom or airport, DCTUK is here for you! Our fitting teams will take care of everything so your home or workspace will be ready to show off to lots of envious eyes before you know it.

We want to make our customers' life easier; your satisfaction matters most - we're always available at any time by phone call or email. You can see below some projects completed using our very own Nouveau Endurance. Take a look. You won't be disappointed.

## Dental Focus, Surrey






# Fitting for the workplace

## What we do

- ✓ Straight lay (all products)
- ✓ Uplift & dispose existing flooring
- ✓ Recycling of existing flooring
- ✓ Moving furniture
- ✓ Subfloor preparation
- ✓ Free design service
- ✓ Free site survey
- ✓ Evenings and weekend work
- ✓ Cap & cove for vinyl
- ✓ Others



# Specifications

1/10" loop pile / 1/10" poil bouclé / 1/10" Schlingenpol / 1/10" lussenpool

PILE CONTENT COMPOSITION DU VELOURS POLMATERIAL POOLSAMENSTELLING	100% PP Stainsafe®
PILE WEIGHT POIDS DU VELOURS POLGEWICHT POOLGEWICHT	Ca. 550g/m <sup>2</sup>
TOTAL WEIGHT POIDS TOTAL GESAMTGEWICHT TOTAAL GEWICHT	Ca. 4.300g/m <sup>2</sup>
PILE HEIGHT HAUTEUR DU VELOURS FLORHÖHE POOLHOOGTE	Ca. 5mm
TOTAL HEIGHT HAUTEUR TOTALE GESAMTHÖHE TOTALE HOOGTE	Ca. 7mm
TUFT DENSITY NOMBRE DE TOUFFES NOPPENZAHL AANTAL NOPPEN	Ca. 189.120/m <sup>2</sup>

05/20 All rights reserved to alter technical specifications - Warranty conditions, see [www.stain-safe.com](http://www.stain-safe.com)  
Sous réserve de modifications techniques - conditions de garantie, voir [www.stain-safe.com](http://www.stain-safe.com)  
Unter Vorbehalt technischer Änderungen - Garantiebedingungen siehe [www.stain-safe.com](http://www.stain-safe.com)  
Onder voorbehoud van wijzigingen van technische specificaties - garantievoorwaarden: [www.stain-safe.com](http://www.stain-safe.com)

SIZE DIMENSIONS ABMESSUNG AFMETINGEN	50 x 50 cm
PACKAGING EMBALLAGE VERPACKUNG VERPAKKING	5 m <sup>2</sup>
ANTISTATIQUE ANTISTATIQUE ANTISTATISCH ANTISTATISCH	< 2 kV
FIRE CLASS CLASSEMENT FEU BRANDVERHALTENSKLASSE BRANDKLASSE	Cfl-s (EN 13501 – 1) Centexbel 0493-CPR-0130
FASTNESS TO LIGHT SOLIDITÉ À LA LUMIÈRE LICHTECHTHEIT LICHTECHTHEID	5-6
WATER FASTNESS SOLIDITÉ À L'EAU WASSERECHTHEIT WATERECHTHEID	4-5
SOUND INSULATION INSONORISATION SCHALLSCHUTZ GELUIDSISOLATIE	22 dB







**dctuk.com**

**Social Media**

 [facebook.com/dctuk](https://facebook.com/dctuk)

 [instagram.com/dctukdesign](https://instagram.com/dctukdesign)

 [youtube.com/dctuk](https://youtube.com/dctuk)

 [twitter.com/dctuk](https://twitter.com/dctuk)

**0330 818 7209**  
**[www.dctuk.com](http://www.dctuk.com)**